

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Secaucus Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	7	8	0	.	7	8
AIDS-CD4 Only	35	39	0	.	35	39
HIV Only	47	53	0	.	47	53
-----	-----	---	-----	---	-----	---
Total	89	100	0	.	89	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	27	30	0	.	27	30
5-12	0	0	Black, Not Hispanic	40	45	0	.	40	45
13-19	0	0	Hispanic	21	24	0	.	21	24
20-29	#	#	Other/Unknown	#	#	0	.	#	#
30-39	#	#	-----	-----	---	-----	---	-----	---
40-49	51	57	Total	89	100	0	.	89	100
50+	19	21							
Unk.	0	0							
-----	-----	---							
Total	89	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	11	22	0	0	11	12
Injection drug user (IDU)	22	45	22	55	44	49
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	13	27	#	#	16	18
-----	-----	---	-----	---	-----	---
Total	49	100	40	100	89	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Secaucus Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	#	(#)
Other OI w/o PCP	25	(25)	22	(92)	0	(0)	25	(24)
KS Alone	#	(#)	#	(#)	#	(#)	#	(#)
No Disease Listed	52	(51)	17	(38)	0	(0)	52	(50)
Total	101	(100)	59	(66)	#	(#)	103	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	#	#	#	#	50	49
5-12	#	#	Black, Not Hispanic	#	#	#	#	33	32
13-19	0	0	Hispanic	20	20	0	0	20	19
20-29	13	13	Other/Unknown	0	0	0	0	0	0
30-39	61	59	-----	-----	-----	-----	-----	-----	-----
40-49	24	23	Total	101	100	#	#	103	100
Over 49	#	#							
Unknown	0	0							
Total	103	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	23	33	0	0	23	23
Injection drug user (IDU)	31	44	16	52	47	47
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	12	17	6	19	18	18
Total	70	100	31	100	101	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	#	#
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Secaucus Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	#	#	#
1989	#	#	#
1990	5	5	100%
1991	#	#	#
1992	6	#	#
1993	14	13	93%
1994	9	#	#
1995	22	8	36%
1996	8	5	63%
1997	6	#	#
1998	#	#	#
1999	#	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
2003	#	#	#
-----	-----	-----	-----
Total	103	61	59%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Secaucus Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	0	0	White, Not Hispanic	17	31	0	.	17	32
5-12	0	0	Black, Not Hispanic	21	39	0	.	21	40
13-19	0	0	Hispanic	15	28	0	.	15	28
20-29	11	20	Other/Unknown	#	#	0	.	#	#
30-39	34	63	-----	-----	---	-----	---	-----	---
40-49	#	#	Total	54	100	0	.	54	100
Over 49	#	#							
Unknown	0	0							
-----	-----	---							
Total	54	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	5	19	0	0	5	9
Injection drug user (IDU)	14	52	17	63	31	57
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	5	19	#	#	7	13
-----	-----	---	-----	---	-----	---
Total	27	100	27	100	54	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Secaucus Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	51	32
AIDS-CD4 Only	#	#	#	#	52	33
HIV Only	54	35	0	0	54	34
-----	-----	---	-----	---	-----	---
Total	155	100	#	#	157	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
-----	-----	---	-----	Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	67	43
5-12	#	#	Black, Not Hispanic	54	35	0	0	54	34
13-19	0	0	Hispanic	35	23	0	0	35	22
20-29	34	22	Other/Unknown	#	#	#	#	#	#
30-39	90	57	-----	-----	---	-----	---	-----	---
40-49	27	17	Total	155	100	#	#	157	100
Over 49	#	#							
Unknown	0	0							
-----	-----	---							
Total	157	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	28	29	0	0	28	18
Injection drug user (IDU)	45	46	33	57	78	50
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	17	18	8	14	25	16
-----	-----	---	-----	---	-----	---
Total	97	100	58	100	155	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	.	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Secaucus Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	#	#	#
1986	7	5	71%
1987	7	6	86%
1988	6	5	83%
1989	7	5	71%
1990	11	9	82%
1991	6	5	83%
1992	6	#	#
1993	27	12	44%
1994	18	7	39%
1995	27	6	22%
1996	6	#	#
1997	#	#	#
1998	#	#	#
1999	#	#	#
2000	11	0	0%
2002	#	#	#
2003	#	#	#
-----	-----	-----	-----
Total	157	68	43%